



Ammonium Bicarbonate

Specifications:

Ammonium Bicarbonate	% by wt. min. (dry basis)	99
Chlorides (as Cl)	% by wt. max.	0.01
Sulphate (as SO ₄)	% by wt. max.	0.01
Iron (as Fe)	% by wt. max.	0.002
Non Volatile Matter	% by wt. max.	0.01
Heavy Metals (as Pb)	ppm. max.	2.50
Copper (as Cu)	ppm. max.	10
Arsenic (as As ₂ O ₃)	ppm. max.	1.0
Tarry Matter		Passes Test

Packing:

25 kg double laminated woven sacks made of high density polyethylene (HDPE) with LDPE inner liner.

Uses:

1. Substitute for yeast in baking.
2. Production of Ammonium salts.
3. Ingredient of Fire extinguishing compounds.
 4. Pharmaceuticals.
 5. Dyes and Pigments.
 6. Degreasing textiles.
 7. Inflater for rubber.
 8. Food Additive.
 9. In cooling baths.
10. In compost heaps to accelerate decomposition.
 11. Manufacture of ceramics.
 12. Chrome Leather tanning.
 13. In the Manufacture of catalysts.

Industries Served:

Fabrication, Lamp industries, Aircraft and missile industries

www.sparchem.com