



1 - Product and Company Information

Product Name **ETHYL BROMOACETATE, REAGENT GRADE, 98%**

Product Number 133973

2 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT

Very toxic by inhalation, in contact with skin and if swallowed.

3 - Composition/Information on Ingredients

Product Name CAS # EC no Annex I

Index Number

ETHYL BROMOACETATE 105-36-2 203-290-9 607-069-00-1

Formula C₄H₇BrO₂

Molecular Weight 167.01 AMU

Synonyms Antol * Bromoacetic acid, ethyl ester *

Ethoxycarbonylmethyl bromide * Ethyl bromacetate

* Ethyl alpha-bromoacetate * Ethyl monobromoacetate

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

AFTER SKIN CONTACT

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes.

Call a physician.

AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions. Vapor may travel considerable distance to source of ignition and flash back.

Explosion Hazards: Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions. Forms explosive mixtures in air.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SPECIFIC METHOD(S) OF FIRE FIGHTING

Use water spray to cool fire-exposed containers.

6 - Accidental Release Measures

PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area. Shut off all sources of ignition.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors.

Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep container closed. Keep away from heat, sparks, and open flame.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Use nonsparking tools. Use only in a chemical fume hood.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Remove and wash contaminated clothing promptly.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.
Hand Protection: Compatible chemical-resistant gloves.
Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance Color: Deep brown-yellow

Form: Clear liquid

Property Value At Temperature or Pressure

pH N/A

BP/BP Range 156.0 - 160.0 °C

MP/MP Range N/A

Flash Point 47 °C Method: closed cup

Flammability N/A

Autoignition Temp N/A

Oxidizing Properties N/A

Explosive Properties N/A

Explosion Limits N/A

Vapor Pressure 2.6 mmHg 25 °C

SG/Density 1.509 g/cm³

Partition Coefficient Log Kow: 1.12

Viscosity N/A

Vapor Density 5.8 g/l

Saturated Vapor Conc. N/A

Evaporation Rate N/A

Bulk Density N/A

Decomposition Temp. N/A

Solvent Content N/A

Water Content N/A

Surface Tension N/A

Conductivity N/A

Miscellaneous Data N/A

Solubility Solubility in Water: Insoluble.

Other Solvents: SOLUBLE IN ACETONE, BENZENE
ALCOHOL MISCIBLE WITH

10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide,

Hydrogen bromide gas.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: AF6000000

SIGNS AND SYMPTOMS OF EXPOSURE

Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE Skin Contact: Causes burns.

Skin Absorption: May be fatal if absorbed through skin. Eye Contact: Causes burns.

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be fatal if swallowed.

CHRONIC EXPOSURE – CARCINOGEN Mouse

Route of Application: Subcutaneous

Exposure Time: 63W

Result: Tumorigenic: Tumors at site or application.

Tumorigenic: Neoplastic by RTECS criteria.

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR UN#: 1603 Class: 6.1

PG: II Subrisk: 3

Proper Shipping Name: Ethyl bromoacetate IMDG

UN#: 1603 Class: 6.1

PG: II Subrisk: 3

Proper Shipping Name: Ethyl bromoacetate

Marine Pollutant: No Severe Marine Pollutant: No

IATA UN#: 1603

Class: 6.1

PG: I Subrisk: 3

Proper Shipping Name: Ethyl bromoacetate

Inhalation Packing Group I: No

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

ANNEX I INDEX NUMBER: 607-069-00-1

INDICATION OF DANGER: T+

Very toxic.

R-PHRASES: 26/27/28

Very toxic by inhalation, in contact with skin and if swallowed.

S-PHRASES: 7/9-26-45

Keep container tightly closed and in well-ventilated place. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sparchem shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

<http://www.sparchem.com>